



## Technical and Bibliographic Notes /Motes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

$\square$	Coloured covers/ Couverture de couleur		Coloured pages/	
	Couverture de couleur		Pages de couleur	C
_	Covers damaged/		Passa dama at /	b ti
	Couverture endommagée		Pages damaged/ Pages endommagées	s
			rages andominagees	0
	Covers restored and/or laminated/		Denne material and for law to the 14	fi
	Couverture restaurée et/ou pelliculée		Pages restored and/or laminated/ Pages restaurées et/ou pelliculées	S
			ages lestanees et/ou peniculess	0
	Cover title missing/		Pages discoloured, stained or foxed/	
	Le titre de couverture manque		Pages décolorées, tachetées ou piquées	
	Coloured maps/		Pages detached/	т
	Cartes géographiques en couleur		Pages détachées	s
				T
	Coloured ink (i.e. other than blue or black)/		Showthrough/	W
	Encre de couleur (i.e. autre que bleue ou noire)		Transparence	
				M
	Coloured plates and/or illustrations/		Quality of print varies/	di
	Planches et/ou illustrations en couleur		Qualité inégale de l'impression	er
				be
	Bound with other material/ Relié avec d'autres documents		Includes supplementary material/	rig
	Relie avec d'autres documents		Comprend du matériel supplémentaire	re
	Tinks binding many second students of the stu		9	
	Tight binding may cause shadows or distortion along interior margin/		Only adition available/	
	La reliure serrée peut causer de l'ombre ou de la	L]	Seule édition disponible	
	distortion le long de la marge intérieure			
			Pages wholly or partially obscured by errata	
	Blank leaves added during restoration may		slips, tissues, etc., have been refilmed to ensure the best possible image/	
	appear within the text. Whenever possible, these		Les pages totalement ou partiellement	
	have been omitted from filming/		obscurcies par un feuillet d'errata, une pelure,	
	Il se peut que certaines pages blanches ajoutées		etc., ont été filmées à nouveau de façon à	
	lors d'une restauration apparaissent dans le texte,		obtenir la meilleure image possible.	
	mais, lorsque cela était possible, ces pages n'ont pas été filmées.			
	Priv 010 (1111008)			
	Additional comments:/			
	Commentaires supplémentaires:			
	and a separate set of the set of			

$\square$	This item is filmed at the reduction ratio checked below/ Ce document est filmé au taux de réduction indiqué ci-dessous.								
10X	14X			18X	22X		26X	30X	
				1					
	12X		16¥	20)	1	24 1	287	221	

Т te

Т

p o

fi

The copy filmed here has been reproduced thanks to the generosity of:


## Library of the Public Archives of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol  $\longrightarrow$  (meaning "CON-TINUED"), or the symbol  $\nabla$  (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

La bibliothèque des Archives publiques du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'Impression ou d'Illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la pramière page qui comporte une empreinte d'Impression ou d'Illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole  $\longrightarrow$  signifie "A SUIVRE", le symbole  $\nabla$  signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



1	2	3
4	5	6

re étails as du nodifier ar une ilmage

es

errata | to | | pelure, | on à



Un Sandfick Henning. C.L.

[From Dr. Kings, ord's History of Canada, Volume X.]

## THE WELLAND CANAL.

This, the most important of the Canadian canals, connects lakes Erie and Ontario, and has within the last few years been finally deepened to a navigation of 14 feet, the locks being in length 270 ft. x 45 ft. in width. The enlarged canal is 2634 miles in length, with a guard lock at lake Erie (where the supply is obtained) and 25 locks of 12 to 14 ft. lift, the mean difference of elevation between the two lakes being 326 ft. 3 in. There are two distinct lines at the northern end, with two distinct entrances, which discharge at Port Dalhonsie into lake Ontario. From Allanburg to Port Colborne, 15 miles, the old and enlarged line is followed to lake Erie.

In connection with the canal, there is a descending lock to the river Welland, over which the main line is carried by aqueducts. There is also a branch of 21 miles to the Grand river, the waters of that stream having been the source of supply before the lake Erie level was established, the feeder having been made navigable. A branch also of  $1\frac{34}{4}$  miles from the feeder gives an opening to lake Erie at Port Maitland. The Grand Trunk Railway passes by a tunnel under the canal, so there is no impediment to traffic on either side, and the accidents incident to railways crossing navigable channels are here made impossible.

Nearly three-quarters of a century have passed since its inception until this canal obtained its remarkable and perfect extension.

As early as 1816 a bill was introduced in the legislature for a grant for a survey. It was referred to a committee, but no report was made. In 1819 provision was made for the survey of the Saint Lawrence. In 1821 a commission was appointed to examine into the best means of improving the navigation which, in 1823, reported that the canal should be adapted to admit vessels navigating the lakes. In 1824 an act of incorporation was obtained, of which one of the most active promoters was Mr. William Hamilton Merritt. The canal designed was to admit boats of 40 tons. The capital was \$150,000, in shares of \$50 each. The work was commenced on the 30th of November, 1824 : as has since been proved, on means so insufficient as to make it a matter of wonder it was ever completed. Indeed, without the constant intervention of the province, the project must have ended in failure.

We are told "as a proof of how little the subject had attracted public enterprise at the time, not half a dozen gentlemen of capital or influence in the district attended the ceremony." There had been little stock subscribed in Upper Canada. In 1836, twelve years later, the total amount was only \$14,850. It, however, had found some favour in Lower Canada and the United States. In 1825 the charter was amended to raise the stock to \$800,000, upon which the president of the company proceeded to New York, and obtained subscriptions to the amount of \$300,000.

The first theory of the route was to make a connection with the Welland river, then regarded as the virtual connection with lake Erie. It was admitted that the current of the river Niagara was strong, nevertheless that vessels could sail up against it. There are stretches, however, in the neighbourhood of the

1898

village of Fort Erie, where extreme rapidity of current has to be encountered, and it was consequently determined to have recourse to the Grand river, which, while it would furnish the water supply, would also assure a satisfactory and quiet navigation. The locks were to be 100 ft. x 22 ft. width, 7 ft. 6 in. on the sills and 40 in number.

The work was undertaken with the design of making an immediate connection with the Welland river, the Grand river navigation feeder hereafter to be completed. The connection with lake Ontario was to be effected by the navigable Twelve mil. creek, which would be followed from the lake to the foot of the higher ground, overcome by the lockage.

In 1826 the company appealed to the nouse of assembly for assistance, with the understanding that the connection with lake Ontario would be attained in 1827. It was stated that \$100,000 had been subscribed in Canada, an assertion that subsequent facts disclosed to be entirely untrue, and that \$300,000 had been contributed in New York. It was likewise advanced that the directors were desirous that at least a majority of the stockholders should be British subjects, consequently that a limit had been placed on the stock offered in the United States. \$400,000 had been left for the English market. A loan of \$600,-000, the first in a longseries of such applications, was made; 21 members voted for, 12 opposed the bill. About this period, lord Bathurst, on the part of the British government, agreed to pay one-ninth of the estimated cost, \$65,400, the equivalent being a free toll on the government stores forever. On the ground that the stock had not been sold in the London market, an appeal was again made to the legislature in 1827. No loan was asked, but the government was petitioned to take \$200,000 worth of the stock. Although sustained by the influence of the government, the bill had a very narrow escape of failure, and only passed by a majority of two, the vote being 20 to 18. On the prorogation of parliament sir Peregrine Maitland made special allusion to the work. He felt, he said, the responsibility of giving the aid that had been granted and cheerfully shared it. The conduct of the Upper Canada legislature had its effect on the Lower Canadian house, which took stock to the extent of \$100,000.

In 1828 the company continued to be in great difficulties. The estimate was that \$450,000 was required to finish the work, while the exchequer of the company had merely to rely on prospective payments coming due in shares amounting to \$84,000, and it was doubtful how much of this sum would be paid. It was evident that further application to the Upper Canadian legislature woull be without effect. The imperial government was therefore appealed to; the consequence of which was that £50,000 sterling was generously advanced, on security of the tolls and property of the company. No loan was applied for in 1829. The work was, however, carried on with such spirit and energy that on the 30th of November, the anniversary of the commencement of the canal five years previously, two vessels passed between lakes Ontario and Erie, drawing 7½ feet of water, with 21½ feet of beam. The length of the canal was 16½ miles, with 34 ascending locks.

The route of that day from the Niagara river lay through a canal of 9½ miles in length, commencing a quarter of a mile west of the entrance of the Welland river and ascending by two locks to the level of what was called the "deep cut." The level of the canal was higher than that of lake Erie, as the water supply was obtained from the Grand river, carried by a wooden aqueduct over the Welland river.

ed.

ch.

nd

he

PC-

be

za-

oot

ith

in

on

ad

ors

ıb-

he

0,-

or,

ish

va-

he

he

to

he

a

sir

he

it.

1a-

as

m-

nt-

ras

be

se-

ity

29.

th

re-

of

34

les

nd

In 1830 an application was made to the legislature that the stock should be increased to \$300,000, and a loan of \$100,000 granted. The opposition in the legislature was very great. On one occasion it was moved that the second reading of the bill should be that day three months. The votes were even, 24 for and against. The speaker, alterwards judge McLean, voted in the negative. The bill was carried. Although the connection with lake Erie had been gained by the opening of the route by the Welland river, the communication was regarded as "tardy and circuitous," and it was determined to effect a direct communication with lake Erie. With this view application was again made to both houses of the legislature. On the 14th of March, 1831, the act was passed authorising the receiver-general to issue \$200,000 of the debentures as a further loan. It was much opposed, 25 voting for, 21 against. In 1832 no aid was asked. In 1833 \$30,000 was voted to subscribe for the unsold stock. In 1834 fresh legislation was called for. Representations were made that the means of the company were exhausted, that the canal was \$100,000 in debt, and that \$100,000 was required to put the canal into a complete state for use. During the next session, so unpopular was the proposition of further assistance that the committee to whom the petition was referred made no direct recommendation, but confined themselves to the hope that something might be done to place the canal in a situation beneficial to the public interest. Nevertheless, owing to the energy of the members interested, stock to the amount of \$200,000 was taken, the money necessary for its payment being obtained by debentures; and the stock was raised by enactment to a million of dollars.

An act was also passed that the affairs of the company should be under the control of four directors, three of whom should be named by the assembly. In 1835 there was no demand for money, but the lieutenant-governor, sir John Colborne, laid before the house a despatch from Mr. Spring Rice, the colonial minister, that he could not recommend to the imperial government to cancel the loan of  $\pounds$  50,000 sterling, in accordance with the vote of the assembly, which had asked this concession. Messrs. Thorburn, Duncombe, and Mackenzie were the directors appointed.

We are indebted to their labours that the history of the construction of the work has been preserved. There was a feeling of general dissatisfaction regarding the undertaking. On all sides, its completion was regarded as indispensable to the well-being of the province. On the other hand, there was a want of confidence in the management. There had been a continual call for assistance from the public chest. The canal had been constantly represented to be on the eve of completion, but it had never been finished. The committee reported in 1836 that the amount of subscriptions proved that the work had been commenced literally with an empty exchequer. The following concise statement of the property in the canal, as it was held by individuals and the public, was appended to the report :

		to	s.	d.	
Loan by Great Britain (provinci	55,555	11	2		
Loan by Upper Canada	100,000	0	0		
Stock taken by provincial legisla	107,500	0	0		
Stock taken by Lower Canada.	25,000	0	0		
Stock in England by private in	30,137	10	0		
Stock in United States by "	**	69,625	ο	0	
Stock in Lower Canada by "	"	13,825	0	0	
Stock in Upper Canada by "	**	3,712	10	0	
Stock in New Brunswick by "	500	0	0		
		£405,855	II	2	
Advanced this year (1836) by pa	2,000	0	0		

## Total.....£407,855 11 2

The cost of the work was set forth at £425,213 3s. 5d., less £100, the balance in hand 30th December, 1835.

In 1836 a select committee, appointed on the petition of the company, recommended that the canal should be made a public work, and the receiver-general should issue debentures for the stock owned. A second report set forth that the amount required to make the canal strictly a public work was  $\pounds 814,319$  6s.  $2\frac{3}{4}$  d. [sic.] Of this amount  $\pounds 200,000$  was estimated as necessary to the completion of the canal, the wooden locks to be replaced by stone structures. On the 11th of January, 1837, resolutions on the subject were carried by large majorities. They affirmed the great importance of the canal, the necessity of its completion in a substantial manner, and the substitution of stone locks;  $\pounds 200,000$  was voted for this purpose :  $\pounds 117,800$  to purchase the stock held by individuals,  $\pounds 25,000$  to enable the company to pay its liabilities, and  $\pounds 20,000$  to purchase the hydraulic works held by private individuals.

Although it was seen that the canal must eventually be transferred to the province, the legislature at this date did not accept the full responsibility of this policy. The government was, however, authorised to subscribe for \$980,000 additional stock, and the total amount of stock was determined at £597,300 (\$2,389,200).

The troubles of 1837 and 1838 intervened to prevent further legislation, but in 1839 it was voted that the private stock should be purchased, and the canal become the property, and be under the management of the public. The amount of stock held in Canada was  $\pounds 31,712$  IOs. od. (\$126,850), while the total amount was \$471,200, so that the vote was as just and honest as it was politic. The act did not receive the royal assent until the first session of the union parliament, 5th of July, 1841. The total amount of expenditure prior to the union is given in the annual report of 1867 as \$1,851,427.77.\*

After the union of 1841, the first enlargement of the canal was effected. The proposition was to construct locks in accord with the navigation of the Saint

<sup>\* [</sup>Annual Report of the Commissioner of Public Works, 1867, p. 482.]

Lawrence,  $200 \times 45 \times 9$  ft. on the sills. The money was to be obtained by a guarantee given from the mother country. Lord Sydenham, the governor-general, formed the opinion that the expense would be too great. He considered that the locks as they were then designed, 150 ft.  $\times 26.6 \times 10$  ft., could sufficiently compete with the Erie canal route. In view of the defence of the province, locks of 200 ft.  $\times 45$  ft.  $\times 9$  ft. were constructed at the entrance lock at Port Dalhousie, lake Ontario, and also lock No. 2, so that Saint Catharines can be reached by the larger class of propellors : and at the guard locks at Port Colborne, and Port Maitland, to admit such vessels, in case of need, finding refuge in the canal.

In lord Sydenham's day the wonderful traffic of the west was never even surmised. To have foretold it a quarter of a century ago would have appeared an exaggeration which might have been compared to the fabulous narratives of the Arabian nights. It has, nevertheless, surpassed all calculation and expectation. The work of the second enlargement of the canal was begun in 1873. A mixed commission had been appointed in 1870, to examine into the policy of affording greater facility by the Saint Lawrence route. The report recommended the adoption of a lock 270 ft. in length, 45 ft. in width, with 12 ft. of water on the sills. It is difficult to explain why this length was determined, for even now modern criticism affirms that it is insufficient. In 1870 the Boards of Trade both of Chicago and Milwaukee had advocated a depth of 15 ft. and a lock of the length of 300 ft. This view, I am afraid it must be said unfortunately, was not accepted, and it is to be feared that it is not to the advantage of Canada that it was not regarded. The new canal, so constructed to the 12 feet navigation, was filled on the 27th of August, 1881. The first vessel that passed through was the United States steamer "Don. M. Dickinson," in tow of the Canadian tug "Harvey Neelon," on the 15th and 16th of September of that year.

In 1886 the representations of the necessity of deepening the canal to 14 feet were accepted as calling for further enlargement. At the close of the navigation of that year, this work was undertaken and carried on through the winter. On the 30th of May, 1887, the propellor "Newburgh," drawing 14 feet, passed through the newly deepened channel from Port Colborne to Port Dalhousie.\*

During the ten years the enlarged canal has been in operation the traffic has chiefly been that of vessels proceeding to Ogdensburg. The propellor engaged in this trade is 240 feet long, 42 feet beam end, drawing 15 ft. 6 in. of water, carrying 2,100 tons. To pass through the Welland canal, the vessel has to be brought to the required draught of 14 feet, and this lightage costs 2 cents per bushel of grain.

The propellor of 270 feet is still a matter of the future. It is conceived that a steel built vessel and consort, aggregate capacity of 4,500 tons=150,000 bushels, passing with unbroken bulk from lake Superior to Montreal will so reduce the charge of freight as to turn the trade to the Saint Lawrence. To what extent, is the problem to be determined by experience. Moreover, it is held

\* Consequently the several enlargements to the canal have been as follows : first lock,  $110' \times 22' \times 7\frac{1}{2}'$ ; second,  $150' \times 26\frac{1}{2}' \times 8\frac{1}{2}'$ ; third,  $270' \times 45' \times 12'$ ; fourth,  $270' \times 45' \times 14'$ .

the

t the 3/4 d. on of th of They in a d for to aulic

the this 0,000 7,300

, but canal count total ditic. arliaion is

The Saint such vessels ...ill have a fair chance of carrying no small share of the up freight, even with the formidable influence of the Canadian Pacific Railway against them. Until the enlargement of the whole line of the Canadian canals is complete, the advantage of the Welland, as constructed, must remain undeveloped. The cost of the whole line, brought to the depth of 14 feet lowest horizon, will then have reached the immense sum, for a community with the resources of Canada, of fiftyfive millions. It is anticipated that in three years this through route will be established.

I trust I may be permitted to say that the first proposal for deepening the canal to its present depth, 14 feet on the sills, proceeded from myself in 1865. "The Canadian Canals," published in Toronto at that date, was the first to suggest and advocate this policy. No recognition has ever been made of the fact. As it has remained unacknowledged, so it has been left without reward. What recompense I may now look for is that which posterity will see fit to give to my name. I feel it a duty to my own reputation to make this claim in the distinct language in which I express it.

In the compilation of this note, I must acknowledge my obligations to the address given by Mr. Monro, engineer in charge of the Soulanges canal, on his retirement from the office of president of the society of Canadian engineers, on the 15th of January, 1896.

I know no paper that in so brief a space gives so well digested and able a view of the navigation of the Saint Lawrence, or more accurately advances the modern principles to be observed in the construction of canals, by which cost may be reduced and a ficiency obtained. ight, hem. , the cost have fiftyil be .

the 865. first the vard. give the

s to l, on eers,

ble a inces cost

